

## Transformer with Rectifier

This transformer is required if controllers from foreign manufacturers are used with a 230 V fan outlet.

Power 20 VA

**Art.-No.**  
2452



## Cleaning Head

Coupling ready installed. Attention – the installation cannot be made in all devices. In general, the cleaning head can be installed, if the article "cleaning head" is listed under "Special Accessories"; otherwise only on request.

Note: Cooling pans with cleaning head should always be connected to an on-site drain. When using condensate pans, these can flow over.



### Cleaning head

**Art.-No.**  
6322

The coupling is already installed into the pan.  
Length of the cleaning head with hose 1.25 m.

**Quick-connect coupling, installed**  
into pan bottom.

**6324**

Please note the above information.

### Cleaning head, single


**6323**

Cleaning head with hose, length 1.25 m.

### Cleaning head, single

**6331**

Cleaning head with hose, length 2 m.



## Condensate Pan, Model "KWA 4"

Flat condensate pan made of transparent plastic.  
(The "KWA 4" condensate pan is usually inserted.)  
Dimensions: width 325 mm, depth 265 mm, height 100 mm



**Art.-No.**  
3819

## Condensate Pan Model "KWA 5"

Design same as model "KWA 4", but 50 mm higher.  
Dimensions: width 325 mm, depth 265 mm, height 150 mm



**Art.-No.**  
3852

## Guide Rails

Suitable for condensate pan "KWA 4" and "KWA 5".  
Length = 400 mm



**Art.-No.**  
3820

## Electric Condensate Evaporator "Type 7/24" (Vapour 3000)

Condensate pan with enlarged reservoir and increased evaporation capacity.

Electric condensate evaporator for on-site installation. The on-site installation site must be sufficiently ventilated and the installation floor must be temperature-resistant (permanently 100 °C). In case of insufficient ventilation, the formation of condensation water can be expected. There must be no open laminate panels or the like in the area of the condensate evaporation. The on-site installation must be carried out in such a way that an overflowing condensate pan can not cause any damage. The evaporator pan is not designed for cleaning water or thawing crushed ice / flake ice.



**Art.-No.**  
25518

Power max.: approx. 7.2 L/24 hrs.  
Capacity: 1.9 L  
Dimensions: width 130 mm, depth 280 mm, height 72 mm  
Connection: 230V/50Hz/330W